

# 1. Identification of Substance & Company

**Product** 

Product namePh DecreaseOther namesSodium bisulphateHSNO approvalHSR002681

Approval description Sodium hydrogen sulphate

UN number 3260 DG class 8

Proper Shipping Name CORROSIVE SOLID, ACIDIC, INORGANIC, N.O.S. (Contains

Sodium Bisulphate)

Packaging group III Hazchem code 2X

**Uses** Pool Chemical

**Company Details** 

Company Poolquip 2018 Ltd

Physical Address20 Ascot Rd,PO Box 53090Mangere,Airport OaksAuckland 2022Auckland 2020New ZealandNew Zealand

Telephone New Zealand +649 634 9097 Fax +649 634 1020

Website www.paramountpools.co.nz

# **Emergency Telephone Number: 0800 764 766**

# 2. Hazard Identification

# **Approval**

This product is an approved substance under the Hazardous Substances and New Organisms Act (HSNO) Approval HSR002681, CORROSIVE SOLID, ACIDIC, INORGANIC, N.O.S. (Contains Sodium Bisulphate). The substance has been classified as hazardous according to the criteria in the Hazardous substances (Minimum Degrees of Hazard) Notice 2020 and is classified as follows:

# **CLASSIFICATIONS**

Classification Skin Corrosion 1C Classification Eye Damage 1

### HAZARD STATEMENTS

Causes severe skin burns and eye damage

# **SYMBOLS**

# **DANGER**



# **Other Classifications**

There are no other classifications that are known to apply.





Keep out of reach of children.

Read carefully and follow all instructions.

Do not breathe dust.

Wash hands thoroughly after handling.

Wear protective clothing, gloves, and eye or face protection.

If medical advice is needed, have product container or label at hand.

IF SWALLOWED: Rinse mouth. Do NOT Induce vomiting.

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower. Wash contaminated clothing before reuse.

IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call a doctor.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a doctor.

Store locked up.

Dispose of contents and container in accordance with local, regional, national, and international regulations.

# 3. Composition / Information on Ingredients

Component	CAS/ Identification	Conc (%)
sodium bisulphate	7681-38-1	100%

This is a commercial product whose exact ratio of components may vary. Trace quantities of impurities are also likely.

### 4. First Aid

#### **General Information**

If medical advice is needed, have product container or label at hand. You should call the National Poisons Centre if you feel that you may have been poisoned, burned or irritated by this product. The number is 0800 764 766 (0800 POISON) (24 hr emergency service).

Recommended first aid

facilities

Ready access to running water is required. Accessible eyewash is required.

**Exposure** 

Swallowed IF SWALLOWED: Rinse mouth. Do NOT Induce vomiting.

Eye contact IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing. Immediately call a doctor.

Skin contact IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with

water or shower. Wash contaminated clothing before reuse.

Inhaled IF INHALED: Remove person to fresh air and keep comfortable for breathing.

Immediately call a doctor.

**Advice to Doctor** 

Treat symptomatically

## 5. Firefighting Measures

Fire and explosion hazards: Suitable extinguishing

There are no specific risks for fire/explosion for this chemical. It is non-flammable.

Carbon dioxide, extinguishing powder, foam, fog sprays.

substances:

Unsuitable extinguishing

substances:

Unknown.

2X

**Products of combustion:** Carbon dioxide, and if combustion is incomplete, carbon monoxide and smoke. Water.

May form toxic mixtures in air and may accumulate in sumps, pits and other low-lying

spaces, forming potentially explosive mixtures.

**Protective equipment:** Self-contained breathing apparatus. Safety boots, non-flammable overalls, gloves, hat

and eye protection.

Hazchem code:



# pH Decrease Safety Data Sheet

**Containment** If greater than 10000kg is stored, secondary containment and emergency plans to

manage any potential spills must be in place. In all cases design storage to prevent

discharge to storm water.

**Emergency procedures** In the event of spillage alert the fire brigade to location and give brief description of

hazard. Stop the source of the leak, if safe to do so. Shut off all possible sources of ignition. Wear protective equipment to prevent skin, eye and respiratory exposure. Clear area of any unprotected personnel. Contain using sand, earth or vermiculite. Do not use sawdust. Prevent by whatever means possible any spillage from entering drains, sewers,

or water courses. (If this occurs contact your regional council immediately).

Clean-up method Use absorbent (soil, sand or other inert material). Rags are not recommended for the

clean-up of spills, as they may create fire or environmental hazard. Collect and seal in properly labelled containers or drums for disposal. If contamination of crops, sewers or

waterways has occurred advise local emergency services.

**Disposal** Mop up and collect recoverable material into labelled containers for recycling or salvage.

Recycle containers wherever possible. This material may be suitable for approved

landfill. Dispose of only in accord with all regulations.

Precautions Wear protective equipment to prevent skin and eye contamination and the inhalation of

vapours. Work up wind or increase ventilation.

# 7. Storage & Handling

**Storage** Avoid storage of harmful substances with food. Store out of reach of children.

Containers should be kept closed in order to minimise contamination. Avoid contact with incompatible substances as listed in Section 10. Containers (and outer packaging) must bear the prescribed labelling, including the Hazchem code, UN number, flammability

warning and name of contents.

**Handling** Keep exposure to a minimum, and minimise the quantities kept in work areas. See

section 8 with regard to personal protective equipment requirements. Avoid skin and eye

contact and inhalation of vapour, mist or aerosols.

# 8. Exposure Controls / Personal Protective Equipment

#### Workplace Exposure Standards

A workplace exposure standard (WES) has not been established by WorkSafe NZ for this product. There is a general limit of 3mg/m³ for respirable particulates and 10mg/m³ for inhalable particulates when limits have not otherwise been established.

NZ Workplace Ingredient WES-TWA\* WES-STEL Exposure Stds sodium bisulphate data unavailable data unavailable

\* These workplace exposure standards are also Prescribed Exposure Standards (PES) under the Health and Safety at Work (General Risk and Workplace Management) Regulations 2016.

# **Engineering Controls**

In industrial situations, it is expected that employee exposure to hazardous substances will be controlled to a level as far below the WES as practicable by applying the hierarchy of control required by the Health and Safety at Work Act (2015) and the Health and Safety at Work (General Risk and Workplace Management) Regulations 2016. Exposure can be reduced by process modification, use of local exhaust ventilation, capturing substances at the source, or other methods. If you believe air borne concentrations of mists, dusts or vapours are high, you are advised to modify processes or increase ventilation.

# **Personal Protective Equipment**

Eyes



Protect eyes with goggles, safety glasses or full face mask. Avoid wearing contact lenses. Select eye protection in accordance with AS/NZS 1337.

Skin



Avoid any skin contact. Wear overalls, rubber boots and impervious gloves. Protective gloves or suitably resistant material must comply with AS 2161. PVC or rubber gloves are recommended. Replace frequently. Gloves should be checked for tears or holes before use. Protective clothing must comply with AS 2919, AS3765.1 or AS3765.2. PVC or rubber boots must comply with AS/NZS 2210.2 and selected and maintained in accordance with AS/NS2210.1. Remove protective clothing and wash exposed areas with soap and water prior to eating, drinking or smoking.

**Respiratory** A respirator when airborne concentrations approach the WES (section 8). Respirators



# pH Decrease Safety Data Sheet

must have filters appropriate to the duty and comply with AS/NZS1716 and selected, used and maintained in accordance with AS/NS 1715. Use a respirator with a dust/mist filter. If using a respirator, ensure that the cartridges are correct for the potential air contamination and are in good working order. Fit testing and clear guidelines and training for use and maintenance of PPE are necessary.

#### **WES Additional Information**

Not applicable

#### 9. Physical & Chemical Properties

**Appearance** clear colourless to slightly yellow coloured crystals

Odour no odour рΗ 1 (1% in water) Vapour pressure no data **Viscosity** no data

**Boiling point** decomposes at 315°C

Volatile materials no data Freezing / melting point no data

approx 280g/L at 25°C Solubility Specific gravity / density 1.4-1.5 g/cm<sup>3</sup> @20°C

Flash point no data Danger of explosion no data **Auto-ignition temperature** no data Upper & lower flammable limits no data Corrosiveness corrosive

# 10. Stability & Reactivity

Stability Stable

Conditions to be avoided Containers should be kept closed in order to avoid contamination. Keep from extreme

heat and open flames.

none known

Incompatible groups Bases, zinc metal, tin and aluminium.

Substance Specific Incompatibility

Hazardous decomposition

products

Sulphur dioxide and other sulphur compounds. Sodium compounds.

Hazardous reactions none known

### 11. Toxicological Information

#### **Summary**

IF SWALLOWED: may cause severe oral irritation. Symptoms may include extreme pain and reddening of skin in mouth and throat. Other symptoms such as blisters may also become evident and may last long after exposure has ceased. IF IN EYES: may cause eye damage. Symptoms may include stinging and reddening of eyes and watering which may become copious. Other symptoms such as swelling of eyelids and blurred vision may also become evident. If exposure is brief, symptoms should disappear once exposure has ceased. However, lengthy exposure or delayed treatment is likely to cause permanent damage.

IF ON SKIN: may cause skin burns. Symptoms may include extreme itchiness and reddening of contacted skin. Other symptoms such as blisters may also become evident and may last long after exposure has ceased.

IF INHALED: dust may be an inhalation irritant. Symptoms may include headache, irritation of nose and throat and increased secretion of mucous in the nose and throat.

#### **Supporting Data**

Acute Oral The LD<sub>50</sub> (oral, rat) for sodium bisulphate: 2140mg/kg.

No evidence of dermal toxicity. **Dermal** Inhaled No evidence of acute toxicity.

Sodium bisulphate is considered corrosive to the skin Eye Skin Sodium bisulphate is considered corrosive to the eyes

Sensitisation No ingredient present at concentrations > 0.1% is considered a sensitizer. Chronic Mutagenicity No ingredient present at concentrations > 0.1% is considered a mutagen. Carcinogenicity No ingredient present at concentrations > 0.1% is considered a carcinogen. Reproductive / No ingredient present at concentrations > 0.1% is considered a reproductive or

**Developmental** developmental toxicant or have any effects on or via lactation.

**Systemic** No ingredient present at concentrations > 1% is considered a target organ toxicant.

Aggravation of None known. existing conditions





12. Ecological Data

Summary

This mixture is not considered ecotoxic

**Supporting Data** 

**Aguatic** The EC<sub>50</sub> for sodium bisulphate >100mg/L.

Bioaccumulation No data
Degradability No data

**Soil** No evidence of soil toxicity.

**Terrestrial vertebrate**The LD₅₀ for sodium bisulphate >2000mg/kg. **Terrestrial invertebrate**The LD₅₀ for sodium bisulphate >2000mg/kg.
No evidence of toxicity for terrestrial invertebrates.

**Biocidal** no data

**Environmental effect levels** No EELs are available for this mixture or ingredients

13. Disposal Considerations

**Restrictions** There are no product-specific restrictions, however, local council and resource consent

conditions may apply, including requirements of trade waste consents.

**Disposal method**Disposal of this product must comply with the Hazardous Substances (Disposal) Notice

2017 and the requirements of the Resource Management Act for which approval should be sought from the Regional Authority. The substance must be treated and therefore

rendered non-hazardous before discharge to the environment.

**Contaminated packaging**Disposal of contaminated packaging must comply with the Hazardous Substances

(Disposal) Notice 2017 clause 12. Ensure that the package is renedered incapable of containing any substance and is disposed in a manner that is consistent with the requirements of the substance it contained and the material of the package. If possible

reuse or recycle packaging.

14. Transport Information

Land Transport Rule: Dangerous Goods 2005 - NZS 5433:2007

Transport according to NZS 5433 (Transport of Hazardous Substances on Land). Considered a dangerous good for

transport.

UN number: 3260 Proper shipping name: CORROSIVE SOLID, ACIDIC,

INORGANIC, N.O.S. (Contains

Sodium Bisulphate)

 Class(es)
 8
 Packing group:
 III

 Precautions:
 CORROSIVE SOLID
 Hazchem code:
 2X

15. Regulatory Information

This product is an approved substance under the Hazardous Substances and New Organisms Act (HSNO). Approval code: HSR002681, Water Treatment Chemicals (Corrosive) GS 2020

All ingredients appear on the NZIoC.

**Specific Controls** 

Key workplace requirements are:

SDS To be available within 10 minutes in workplaces storing any quantity.

Inventory An inventory of all hazardous substances must be prepared and maintained.

Packaging All hazardous substances should be appropriately packaged including substances

that have been decanted, transferred or manufactured for own use or have been

supplied

Labelling Must comply with the Hazardous Substances (Labelling) Notice 2017.

Emergency plan Required if > 10000kg is stored.

Certified handler Not required.

Tracking Not required.

Bunding & secondary containment Required if > 10000kg is stored.

Signage Required if > 1000kg is stored.

Location compliance certificate Not required.
Flammable zone Not required.
Fire extinguisher Not required.

Note: The above workplace requirements apply if only this particular substance is present. The complete set of controls for a location will depend on the classification and total quantities of other substances present in that location.



# pH Decrease Safety Data Sheet

# **Other Legislation**

In New Zealand, the use of this product may come under the Resource Management Act and Regulations, the Health and Safety at Work Act 2015 and the Health and Safety at Work (General Risk and Workplace Management) Regulations 2016, local Council Rules and Regional Council Plans.

	16. Other Information
Abbreviations	
Approval Code	Approval HSR002681, Water Treatment Chemicals (Corrosive) GS 2020, EPA.
- pp	www.epa.govt.nz
CAS Number	Unique Chemical Abstracts Service Registry Number
Controls Matrix	List of default controls linking regulation numbers to Matrix code (e.g. T1, I16).
EC <sub>50</sub>	Ecotoxic Concentration 50% – concentration in water which is fatal to 50% of a test
	population (e.g. daphnia, fish species)
EPA	Environmental Protection Authority (New Zealand)
HAZCHEM Code	Emergency action code of numbers and letters that provide information to emergency
	services, especially fire fighters
HSNO	Hazardous Substances and New Organisms (Act and Regulations)
IARC	International Agency for Research on Cancer
LEL/UEL	Lower Explosive Limit/ Upper Explosive Limit
LD <sub>50</sub>	Lethal Dose 50% – dose which is fatal to 50% of a test population (usually rats).
LC <sub>50</sub>	Lethal Concentration 50% – concentration in air which is fatal to 50% of a test populatio
	(usually rats)
NZIoC	New Zealand Inventory of Chemicals
MSDS (SDS)	Material Safety Data Sheet (or Safety Data Sheet)
PES	Prescribed Exposure Standard means a WES or a biological exposure standard that is
	prescribed in a regulation, a safe work instrument or an approval under HSNO (including
	group standards).
STEL	Short Term Exposure Limit - The maximum airborne concentration of a chemical or
	biological agent to which a worker may be exposed in any 15 minute period, provided th
	TWA is not exceeded
TWA	Time Weighted Average – generally referred to WES averaged over typical work day
	(usually 8 hours)
UN Number	United Nations Number
WES	Workplace Exposure Standard - The airborne concentration of a biological or chemical
	agent to which a worker may be exposed during work hours (usually 8 hours, 5 days a
	week). The WES relates to exposure that has been measured by personal monitoring
	using procedures that gather air samples in the worker's breathing zone.
References	
Data	Unless otherwise stated comes from the EPA HSNO chemical classification information
	database (CCID).
Controls	EPA notices, www.epa.govt.nz, Health and Safety at Work (Hazardous Substances)
Controls	Regulations 2017, www.legislation.govt.nz
WES	The latest NZ Workplace Exposure Standards, published by WorkSafe NZ and available
	on their web site – www.worksafe.govt.nz.
Other References:	Suppliers SDS, EU ECHA, ingredients SDS's, ChemIDplus
Review	
Date	Reason for review
June 2018	Not applicable – new SDS
A	Formation HONO to OHO 7

#### Disclaimer

August 2023

This SDS is based on our current state of knowledge, including information obtained from suppliers. The SDS is given in good faith and constitutes a guideline (not a guarantee of safety). The level of risk each substance poses is relevant to its properties (as summarised in the SDS) AND HOW THE SUBSTANCE IS USED. While guidelines are given for personal protective equipment, such precautions must be relevant to the use. The likely GHS 7 classifications for this SDS have been estimated based on general information from the supplier (e.g., hazard, toxicological).

5 yearly review, HSNO to GHS 7



