

For any further information contact us

christchurch@paramoutpools.nz
0800 766 578

Visit: 75 Blenheim Road, Riccarton Christchurch, 8011

Showroom Hours:
Monday-Friday 8:30am-5pm
Saturday 9am-1pm

View Our Website & Social Media

 www.paramoutpools.nz  [paramoutpools&spaschristchurch](https://www.facebook.com/paramoutpools&spaschristchurch)  [paramoutpoolschristchurch](https://www.instagram.com/paramoutpoolschristchurch)

 **Paramount
Pools & Spas**

Solstice Spas

Paramount Pools & Spas Christchurch



 **Paramount
Pools & Spas**

Solstice Spas

The Avalon

Hydrotherapy ★★★★★

Jets 27

Volume 1050 Litres

Seating 5 Persons

Dimensions 2000x2000x900



Specifications

Dry Weight	260kg
Maximum Temp	41° C
Spa Controller	SpaNet SV2-VH
Massage Pump	1 x 3HP
Circulation Pump	1 x 0.5HP
Electrical Requirements	15A
Approx. Daily Basic Maintenance (avg kW/p day)	2.5-4kW

Features

- American Aristech® Acrylic - Sterling Silver
- SpaNet Variable 3kW Heater
- Pure Water Ozone Sanitation & UV Disinfection
- 2 x Anti Bacterial Filters
- 304 Stainless Steel Frame
- Molded ABS Insulated Base
- Contemporary Composite Cabinet

Included Upgrades

- Upgraded Blizzard Thermal Hard Cover
- SV-T43 SpaNet Smart-Touch screen Control Pad
- PVC Steps with non-slip pads
- Bluetooth Stereo System with Subwoofer

Solstice Spas

The Delphi

Hydrotherapy	★★★★☆
Jets	31
Volume	1060 Litres
Seating	7 Persons
Dimensions	2000x2000x920



Specifications


Dry Weight	220kg
Maximum Temp	41° C
Spa Controller	SpaNet SV2-VH
Massage Pump	1 x 3.0HP
Circulation Pump	1 x 0.5HP
Electrical Requirements	15A
Daily Basic Maintenance (avg kW/p day)	2.5-4kW

Features

- American Aristech® Acrylic - Sterling Silver
- SpaNet Variable 3kW Heater
- Pure Water Ozone Sanitation & UV Disinfection
- 1 x Anti Bacterial Filters
- 304 Stainless Steel Frame
- Molded ABS Insulated Base
- Contemporary Composite Cabinet

Included Upgrades

- Upgraded Blizzard Thermal Hard Cover
- SV-T43 SpaNet Smart-Touch screen Control Pad
- PVC Steps with non-slip pads
- Bluetooth Stereo System with Subwoofer



Solstice Spas

The Sonora

Hydrotherapy ★★★★★

Jets 57

Volume 1200 Litres

Seating 4 Persons

Dimensions 2000x2000x900



Specifications


Dry Weight	250kg
Maximum Temp	41° C
Spa Controller	SpaNet SV3-VH
Massage Pump	2 x 3HP
Circulation Pump	1 x 0.5HP
Electrical Requirements	32A
Daily Basic Maintenance (avg kW/p day)	2.5-4kW

Features

- American Aristech® Acrylic - Sterling Silver
- SpaNet Variable 5.5kW Heater
- Pure Water Ozone Sanitation & UV Disinfection
- 2 x Anti Bacterial Filters
- 304 Stainless Steel Frame
- Molded ABS Insulated Base
- Contemporary Composite Cabinet

Included Upgrades

- Upgraded Blizzard Thermal Hard Cover
- SV-T43 SpaNet Smart-touch screen Control Pad
- PVC Steps with non-slip pads
- Bluetooth Stereo System with Subwoofer



Solstice Spas

The Sevilla

Hydrotherapy ★★★★★

Jets 34

Volume 1030 Litres

Seating 5 Persons

Dimensions 2000x2000x900



 **Paramount
Pools & Spas**

Specifications


Dry Weight	250kg
Maximum Temp	41° C
Spa Controller	SpaNet SV2-VH
Pump Allocation	1 x 3HP
Circulation Pump	1 x 0.5HP
Electrical Requirements	15A
Daily Basic Maintenance (avg kW/p day)	2.5-4kW

Features

- American Aristech® Acrylic - Sterling Silver
- SpaNet Variable 3kW Heater
- Pure Water Ozone Sanitation & UV Disinfection
- 2 x Anti Bacterial Filters
- 304 Stainless Steel Frame
- Molded ABS Insulated Base
- Contemporary Composite Cabinet

Included Upgrades

- Upgraded Blizzard Thermal Hard Cover
- SV-T43 SpaNet Smart-Touch screen Control Pad
- PVC Steps with non-slip pads
- Bluetooth Stereo System with Subwoofer



Solstice Spas

The Eros

Hydrotherapy ★★★★★

Jets 86

Volume 1250 Litres

Seating 5 Persons

Dimensions 2100x2100x900



 **Paramount
Pools & Spas**

Specifications


Dry Weight	300kg
Maximum Temp	41° C
Spa Controller	SpaNet SV3-VH
Massage Pump	2 x 3HP
Circulation Pump	1 x 0.5HP
Electrical Requirements	32A
Daily Basic Maintenance (avg kW/p day)	2.5-4kW

Features

- American Aristech® Acrylic - Sterling Silver
- SpaNet Variable 5.5kW Heater
- Pure Water Ozone Sanitation & UV Disinfection
- 2 x Anti Bacterial Filters
- 304 Stainless Steel Frame
- Molded ABS Insulated Base
- Contemporary Composite Cabinet

Included Upgrades

- Upgraded Blizzard Thermal Hard Cover
- SV-T43 SpaNet Smart-Touch screen Control Pad
- PVC Steps with non-slip pads
- Bluetooth Stereo System with Subwoofer





SV Series Controllers – The Pinnacle in Spa Control Technology

Elevate your spa to new heights of luxury and efficiency with the SV Series Controllers.

Our state-of-the-art spa controllers merge sophisticated design with the latest in spa technology, offering you an unmatched spa experience. Dive into the future of spa management, where convenience, energy savings, and personalised settings come together seamlessly.


Solar & Smart Meter Ready

The SV Series spa controls feature multiple sleep timers and a power save timer to allow the user to govern when the spa is awake or asleep to take advantage of solar panels or smart electricity meters which offer discounted electricity tariffs at certain times of day. It's particularly helpful to prevent electricity wastage during periods where spa will not be used. Many other spa controls don't even offer a timer.

Newton's law of cooling

The further the water temperature is from ambient the faster the heat loss. If there is no sleep timer set the spa will rapidly lose heat and then reheat in a continuous cycle, 24hrs p/day consuming large amounts of electricity. In comparison, if you set a timer to sleep during periods where the spa will not be used, the rate of heat loss slows over time, resulting in far less heating required to reheat the water temp after sleeping than if the spa was left to heat to set temperature 24 hrs p/day.

A sleep timer will provide between 25-35% energy savings per day compared to a spa without (based on 1500L spa pool set to 38°C with default sleep times, 7 days a/wk, 10PM to 3AM).



Smart Filtration

SV Series Smart Filtration recognises the spa is filtering whilst heating and automatically adjusts filtration cycles to account for pump runtime spent during heating. This provides a 30% energy saving on the power consumed by the filtration pump. Other spa controls run fixed amounts of filtration not considering pump runtime during heating resulting in higher energy consumption for no benefit.

Programmable Filtration

Smart software allows easy adjustment of the daily filtration runtime from 3-24 hours via a user-friendly menu in the keypad.



Simple, friendly touch control of your spa

The innovative SmartTouch touch panel advances spa pool operation into the touch screen era. Stunning 4.3" full colour display is crisp, clear and easy to read and resistive touch panel allows unimpeded operation with wet fingers. The SmartTouch is very simple to use, replicating smart phone style icons and menu operation. Settings have never been easier to adjust and scrolling activity status advises the user what the spa is doing at all times.



Water Compatible Touch Screen

LCD allows unimpeded operation with wet fingers and water pooling on screen. Touch pad gel filled and waterproof.



TOUCH SCREEN TECHNOLOGY



LARGER 4.3" FULL COLOUR DISPLAY



NON-REFLECTIVE RESISTIVE LCD



AUTOMATIC BRIGHTNESS ADJUSTMENT

Configure your spa

Simple to use smart phone style menu operation provides total control over every possible spa configuration setting.

Retro Fit Compatible

Compatible with all model SV controllers and a direct replacement for SV2/SV4T gels without needing to adjust cut-out in shell.

SVT43 SPECIFICATIONS

Viewable Area	4.3" (110mm)
Touch Panel Type	Resistive
Screen Type	Full Colour TFT LCD
Screen Luminance	1000 cd/m ²
Dimensions (L x W x H)	185 x 100 x 33.5mm

Spa Ownership Guide

Choosing a spa, whether it's your first or a considered upgrade, can bring up many questions. We're here to help.

This page provides a brief overview of key pre-purchase and pre-delivery considerations.

If you have any questions or concerns, please don't hesitate to get in touch – our team is always happy to assist and ensure your spa experience is as effortless and enjoyable as it should be.

Preparation Onsite

Before installing your Solstice Spa the spa site must be prepared with a solid, even, and dependable foundation that remains supportive throughout the spa's lifespan. We are happy to give more guidance, when we know more about your site.

Preparation for Delivery

Prior to delivery, confirm that the access route from the delivery vehicle, whether a ute, crane or trailer, is clear and free of obstacles leading to the prepared installation site.

Water Care and Maintenance

When we deliver your spa, we'll take care of the setup and walk you through everything you need to know. This includes a full demonstration of the spa's features, settings, and how to keep your water clean and balanced. We'll also test your tap water and provide a tailored water treatment guide – so every time you refill your spa, you'll know exactly which chemicals to use. Each Solstice Spa comes equipped with an advanced Ozone & UV sanitation system, designed to reduce chemical use and make ongoing water care that little bit easier.

Solstice Spa Warranty



Structural Shell
10 Years



Interior Surface
5 Years



Composite Cabinet
3 Years




Equipment
3 Years




No Leak Jets
3 Years

Solstice Spa Spec Sheets


Avalon



Sevilla



Sonora



Eros

